TOGETHERNESS WITH THE DIVINE....!

00




WEST NADA, GURUVAYUR



Dedicating and prostrating humbly at the Lotus feet of the Omnipotent, Omnipresent and Omniscient Lord Sree Guruvayurappan with a mind vibrant in prayer and seeking blessings.... OM NAMO BHAGAVATE V

कायेन वाचा मनसेन्द्रियैवर्ग बुद्ध्यात्मना वा प्रकृतेः स्वभावात्। करोमि यद्यत सकलं परस्मै नारायणायेति समर्पयामि।


हन्त भाग्य जनानाम




ON NAMO BHAGAVATE VASUDEVAYA

IAMO BHAGAYATE VASUDEVAYA OM NAMO BHAGAYATE VASUDEVAYA

हन्त! भाग्य जनानाम




































TYPE A 3 SALEABLE AREA 571 Sq Ft





































TYPICAL FLOOR LAYOUT - First and Second Floor





LOCATION

The Panchajanyam is ideally located 800 meters from the West Nada of Guruvayur Temple, having easy access to the Railway station, Banks, Schools and all other amenities available in the city.





BRIEF SPECIFICATION

Structure: RCC framed structures with RCC foundation as per seismic zone requirement.

Super structure: Concrete solid / hollow brick partition walls with rich cement plaster to finish.

Flooring: Superior quality vitrified tiles in living, dining, bedrooms and balcony.

Kitchenette: Kitchenette counter with granite top and stainless steel single bowl sink, 60 cm height ceramic tile dado over kitchenette working counter. Provisions for Induction cooker.

Toilet: Ceramic tiles for floors and glazed designer ceramic tiles for walls upto a height of 210 cm. Light coloured sanitary fixtures (Parryware or equivalent make). Provision for water heater and hot water in all bathroom showers. Provision for fixing exhaust fans.

Doors and Windows: Front door frame and panelled doors with good quality teak wood. Hardwood door frames with panelled / modular skin doors for all rooms except bathrooms. Bathroom door will be of FRP. Fully glazed superior quality UPUC windows and ventilator shutters with safety MS grills.

Painting: Internal walls will be finished with putty and emulsion paint. Doors, windows, grills and handrails will be finished with enamel paint.

Electrical: All electrical lines shall be concealed conduit copper wiring with modular switch / socket / plugs. Adequate light and fan points, 5 and 15 amps plug points. Provision for separate meters for all apartment with necessary panel boards and fittings. All materials used shall be of ISI standards. Selection of the brands are at the discretion of the builders.

Water supply: Heavy grade PVC pipes shall be used for cold water lines and UPVC pipes for hot water lines wherever necessary. Ground water supply / municipality water through sump and overhead tank shall be available. Water connection lines shall be provided for each apartment from the overhead water tanks for sufficient flow of water.

Lift: One stretcher lift

Fire lighting system: As per statutory norms.

Sewage Treatment Plant: As per statutory norms.

Power Generator: Stand by generator for common lighting, lift, water pumps.





